60cm 500 Series Freestanding Cooker, Induction, Low Current



With a compact design, intuitive controls, and modern styling, this Freestanding Cooker makes it simple to upgrade your kitchen - with the potential to re-use your existing wiring.

- Induction cooktop with four cook zones, pair two of them to create a FlexiZone
- 82L oven with 11 functions, including Air Fry
- 20A rating offers the potential to re-use your existing wiring*

 Available in Silver Stainless or Black, pair with a matching Haier 60cm Rangehood for a modern and cohesive look

DIMENSIONS

 Height
 900 - 925 mm

 Width
 595 mm

 Depth
 600 mm

FEATURES & BENEFITS

Room for every recipe

At a standard 60cm width, this cooker combines sleek lines with a modern, thoughtful design that complements any kitchen. Available in Black or Silver Stainless, pair it with a family of matching Haier kitchen appliances to create a seamless and coordinated look.

Get induction using existing wiring*

This compact induction cooktop is the ideal option for replacing your gas or ceramic cooker. With the potential to use existing wiring, this 20A rated Induction Freestanding Cooker supports cost effective installations.

Fast and flexible cooking

Induction provides fast, precise and efficient cooking by heating your cookware directly. The four cook zones respond instantly to temperature changes, and Flexi Zone lets you pair two zones for a larger surface, perfect for searing meats or grilling vegetables.

Specialised oven functions

Cook more of what you love with 11 versatile oven functions, including Pizza, Fan Bake and Air Fry, to recreate your favourite foods with less oil than traditional frying, or explore healthy recipes with a satisfying crunch. Our purpose-built Air Fry tray features vents that help hot air circulate evenly around your food for a crunchy finish, without needing to turn it partway through cooking.

Steam assisted cooking and cleaning

Expand your cooking capabilities with Bakery+Steam. Simply pour water into the cavity at the bottom of the oven, where steam combines with heat to keep dough moist as it rises, creating perfectly crispy crusts and light, fluffy cakes. When you're finished, add some more water and let steam lift away grease and grime for easy cleaning.

Intuitive controls

Robust, sword-style dials are ergonomically designed for a comfortable grip, letting you select the right temperature and function with ease. The built-in touchscreen timer keeps your cooking on track, and partial telescopic runners make it safe and easy to slide hot dishes in and out of the oven.

Cook with confidence



QUICK REFERENCE GUIDE > HOR60S11ISX2

Air try tray Baking tray 1 Left front zone rating 2000W (Boost 2600W) Wire shelf 1 Left rear zone rating 1500W (Boost 2000W) Number of cooking zones 4 Oven performance Right front zone rating 1500W (Boost 2000W) Oven capacity 82 L Usable capacity 76 L Cleaning Cleaning Cleaning Oven features Flat easy clean glass surface 1 Internal light Rear Hydro clean 2 Oven shelves 6 Supply frequency 5000W Removable oven door inner glass 2 Oven functions Splashback Oven functions Air fry Air fry Controls Pizza Traditional bake Poven features Flate asyour (Boost 2000W) Temperature range 50-2: Power requirements AMP draw 2000W Supply frequency 50W Supply requency 50W Supply voltage 220-240W Pizza Traditional bake Power features Power requirements AMP draw 20 Supply frequency 50W Supply frequency 50W Supply requency 50W Supply voltage 220-240W Pizza Traditional bake Oven poner Sloven gradity Frequency Supply voltage Pizza Traditional bake Traditional bake Pizza Traditional bake Oven poner Sloven gradity Frequency Supply frequency Supply frequency Supply frequency Supply frequency Supply fr	Designed and tested for Kiwi kitchens, this	Freestanding	Control type	Dial	Bakery + steam	•
peace of mind. SPECIFICATIONS Cooktop Features Flexi Zone Flexi Zone Flexi Zone Flexi Zone Maxi Grill Maxi Grill 4n M	Cooker is built with durable materials and reliable Haier		Electronic clock	•	Defrost	•
SPECIFICATIONS Cooktop Features Flexi Zone Flexi Zone Flexi Zone Flexi Zone Flexi Zone Maxi Grill Maxi Grill Maxi Grill Fan Mumber of functions Fizza Traditional bake Fizza Traditional bake Fizza Traditional bake Traditional bake Fizza Traditional bake		y for added			Fan bake	•
Flexi Zone Flexi Zone Flexi Zone Flexi Zone Maxi Grill Maxi Grill Maxi Grill fan Number of functions Flizza Traditional bake Flizza Traditional bake Traditional b	peace of mind.				Fan forced	•
Accessories (included) Air fry tray 1 Cooktop Performance Baking tray 1 Left front zone rating 2000W (Boost 2600W) Wire shelf 1 Left rear zone rating 1500W (Boost 2000W) Number of cooking zones 4 Oven performance Capacity Oven capacity 0 Sal Usable capacity 76L Cleaning File assy clean glass surface File the surface of the surface o	SPECIFICATIONS		Cooktop Features		Light	•
Air fry tray 1 Cooktop Performance Number of functions 1 Pizza Piz			Flexi Zone	•	Maxi Grill	•
Baking tray 1 Left front zone rating 2000W (Boost 2600W) Wire shelf 1 Left rear zone rating 1500W (Boost 2000W) Number of cooking zones 4 Oven performance Capacity Number of cooking zones 4 Oven performance Capacity Number of cooking zones 4 Oven performance Capacity Number of cooking zones 4 Oven performance Right front zone rating 1500W (Boost 1800W) Von capacity Right rear zone rating 2000W (Boost 2600W) Von capacity Right rear zone rating 2000W (Boost 2600W) Cleaning Cleaning Cleaning Oven features Flat easy clean glass surface internal light Rear Hydro clean Removable oven door inner glass Splashback Oven functions Air fry Air fry Depth 600 m Hotelste was 2000W (Boost 2600W) Friza Traditional bake Pizza Traditional bake Pizza Traditional bake Pizza Traditional bake Powen performance Glazed door Trip Grill power 2000 Oven power 2800 Temperature range 50-28 Oven power 2800 Temperature range 50-28 Supply frequency 500 Supply frequency 500 Supply voltage 220-240 Pizza Traditional bake	Accessories (included)				Maxi Grill + fan	•
Baking tray I Left front zone rating 2000W (Boost 2600W) Grill insert I Left rear zone rating 1500W (Boost 2000W) Number of cooking zones 4 Oven performance Capacity Number of cooking zone atting 1500W (Boost 1800W) Oven capacity Vable capacity Right front zone rating 1500W (Boost 1800W) Usable capacity Total tional bake Capacity Right front zone rating 1500W (Boost 1800W) Capacity Right rear zone rating 2000W (Boost 2600W) Temperature range 500-25 Cleaning Coven features Coven featur	Air fry tray	1	Cooktop Performance		Number of functions	11
Grill insert 1 2600W) Wire shelf 1 Left rear zone rating 1500W (Boost 2000W) Number of cooking zones 4 Oven performance Capacity	•	1	•	2000\\/\(\D_===\	Pizza	•
Number of cooking zones 4 Oven performance Capacity Right front zone rating 1500W (Boost 1800W) Oven capacity 82 L Usable capacity 76 L Cleaning Oven features Flat easy clean glass surface Internal light Rear Hydro clean Oven door inner glass Oven door Storage drawer Oven functions Splashback Oven functions Air fry Oven factors Number of cooking zones 4 Oven performance Glazed door Trip Gazed door Oven power 2000 Oven power 2800 Temperature range 50-25 Oven power requirements AMP draw 20 Supply frequency 504 Supply voltage 220-240 Splashback Oven functions Product dimensions Footnote Bake Depth 600 m Alicity 1000 185 m Controls Depth 600 m			Left front zone rating		Traditional bake	•
Capacity Right front zone rating 1500W (Boost 1800W) Grill power 2000 Oven capacity 76 L Cleaning Clean glass surface Internal light Rear Hydro clean Company Compan	Wire shelf	1	Left rear zone rating			
Oven capacity Usable capacity 76 L Cleaning Coven features Flat easy clean glass surface Hydro clean Coven shelves Coven shelves Coven shelves Coven door Coven door Coven functions Coven functions Coven functions Air fry Bake 1800W) Grill power Coven			Number of cooking zones	4	Oven performance	
Oven capacity Usable capacity 76 L Right rear zone rating Cleaning Cleaning Cleaning Cleaning Cleaning Cleaning Cleaning Oven features Flat easy clean glass surface Hydro clean Flat easy clean glass surface Coven shelves Coven shelves Coven shelves Coven shelves Coven shelves Coven functions Air fry Controls Controls Coven capacity Coven power Coven power	Capacity		Right front zone rating		Glazed door	Triple
Usable capacity 76 L Right rear zone rating 2000W (Boost 2600W) Temperature range 50-29 Cleaning Cleaning Oven features Flat easy clean glass surface Hydro clean Coven shelves Flat easy clean glass surface Flat easy clean glass surface Storage drawer Oven shelves Flat easy clean glass surface Flat easy clean glass surface Flat easy clean glass surface Oven features Power requirements AMP draw 20 Supply frequency 50H Supply voltage 220-240 Supply voltage 220-240 Product dimensions Air fry Depth 600 m	Oven capacity	82 L			Grill power	2000 W
Cleaning Oven features Flat easy clean glass surface Hydro clean Removable oven door inner glass Splashback Oven functions Air fry Bake Temperature range Fover requirements AMP draw Supply frequency Supply requency Supply voltage Supply voltage Product dimensions Height Bake Temperature range Four requirements AMP draw 20 Supply frequency Supply voltage Product dimensions Height Height All firy All firm All firy All firm All firy All firm		76 L	Right rear zone rating		Oven power	2800 W
Flat easy clean glass surface Hydro clean Removable oven door Removable oven door inner glass Splashback Oven functions Air fry Bake Power requirements AMP draw Supply frequency Supply voltage Supply voltage Supply voltage Product dimensions Height Amp draw Amp draw Supply frequency Supply voltage Supply voltage Product dimensions Height Height Amp draw Supply frequency Supply voltage Product dimensions Height Height					Temperature range	50-250
Flat easy clean glass surface Hydro clean Removable oven door Removable oven door inner glass Splashback Oven functions Air fry Bake Internal light Rear AMP draw Supply frequency Supply voltage Supply voltage Product dimensions Footneth footneth Amp draw 20 AMP draw 20 AMP draw 20 Amp draw 20 Supply frequency Supply voltage Product dimensions Air fry Bake Air fry Bake Amp draw 20 Amp draw Supply frequency Supply voltage 220-240 Amp draw 20 Amp draw	Cleaning		Oven features			
Hydro clean Removable oven door Removable oven door inner glass Splashback Oven functions Air fry Controls AMP draw Supply frequency Supply voltage Supply voltage Product dimensions Air fry Depth 600 m	Flat easy clean glass surface	•	Internal light	Rear	Power requirements	
Removable oven door		•	•		AMP draw	20 A
Removable oven door inner glass Splashback Oven functions Air fry Bake Supply voltage Product dimensions Depth Depth According to the product of th	•	•		•	Supply frequency	50Hz
Splashback Oven functions Air fry Bake Depth Openh Depth Openh Depth Openh Depth Openh Depth Openh Ope		•	otorage arame.		Supply voltage	220-240 V
Controls Oven functions Air fry Bake Product dimensions Depth Boy 100 - 935 m	-	•				
Air fry • Depth 600 m Bake • Height 900 - 935 m	•		Oven functions		Dua duah dimamaiana	
Bake • • • • • • • • • • • • • • • • • • •			Air fry	•		
Automatic cooking/minute timer • Height 900 - 925 m	Controls		Bake	•		600 mm
	Automatic cooking/minute timer	•			Height	900 - 925 mm



QUICK REFERENCE GUIDE > HOR60S11ISX2

Width	595 mm
Safety	
Cooling fan	•
Warranty	
Parts and labour	2 years
SKU	63002

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © 2020 Haier Inc. All rights reserved.

Other product downloads available at haier.com

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372273 Wwww.haier.com

