HRF510FS - Satina

HRF510FHS - Satina

HRF510FHC - Black

500 Series French Door Refrigerator Freezer, Water









Height

1725mm

Width

790mm

Depth

707mm

HRF510FS Weight (Packaged)

102kg

Weight (Product)

91kg

HRF510FHS/HRF510FHC Weight (Packaged)

104kg

Weight (Product)

93kg

OVERVIEW

The 500 Series French Door Refrigerator Freezer range combines flexible storage, advanced cooling, and energy efficiency in a sleek, modern design. With $a\,70:30\,fridge-freezer\,split,\,a\,Humidity\,Zone^{\intercal M}\,drawer,\,and\,the\,option\,of\,a\,plumbed\,or\,non-plumbed\,water\,dispenser\,(select\,models),\,this\,fridge\,is\,designed$ for effortless everyday living.


FEATURES

- Designed to fit a standard Australian kitchen cavity for a seamless, built-in look
- 70:30 fridge-freezer split offers more space for fresh food
- Flat door design with a recessed handle for a clean, modern aesthetic
- Plumbed or non-plumbed water dispenser and auto-ice function (select models)
- Available in Satina and Black to complement different kitchen styles
- Dual Humidity Zone™ drawers help keep fruit and vegetables crisp and fresh for longer (selected models)
- Adjustable shelving and door storage make it easy to organise groceries
- LED lighting illuminates the interior for clear visibility and easy access
- Super Freeze function rapidly locks in freshness, preserving taste and texture
- Multi-Zone Air™ cooling ensures even temperatures across every shelf

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com


Product Overview

PRODUCT DIMENSIONS



		mm
Α	Overall height	1725
В	Overall width (doors closed)	790
	Overall width (doors open)	1250
С	Overall depth (doors closed)	707
	Overall depth (doors open)	1039

CAVITY DIMENSIONS




		mm
Α	Overall height of cavity	1775
В	Overall width of cavity	850
С	Minimum depth of cavity	757

SERVICES		
 Supply 	220-240 V, 50 Hz	
• Service	10 A	
• Connection	Plug with flex cord	

 $The models shown in this Specification \ Guide (SG) \ may \ not \ be \ available \ in \ all \ markets \ and \ are subject to \ change \ at \ any time. \ Product \ specifications \ may \ vary \ from \ those \ shown. \ This \ SG \ should \ not \ be \ used \ as \ installation \ guidance \ for \ any \ product. \ Further \ information \ is \ required \ to \ safely \ and \ correctly \ install \ the \ products \ featured \ here. \ Specific \ installation \ guidance \ will be \ available \ with \ the \ product \ on \ delivery \ and \ on \ our \ website \ haier.com$


Product Overview

PRODUCT DIMENSIONS



	mm
Overall height	1725
Overall width (doors closed)	790
Overall width (doors open)	1250
Overall depth (doors closed)	707
Overall depth (doors open)	1039
	Overall width (doors closed) Overall width (doors open) Overall depth (doors closed)

CAVITY DIMENSIONS



		mm
Α	Overall height of cavity	1775
В	Overall width of cavity	850
С	Minimum depth of cavity	757

SERVICES		
 Supply 	220-240 V, 50 Hz	
• Service	10 A	
• Connection	Plug with flex cord	

 $The models shown in this Specification \ Guide (SG) \ may \ not \ be \ available \ in \ all \ markets \ and \ are subject to \ change \ at \ any \ time. \ Product \ specifications \ may \ vary \ from \ those \ shown. \ This \ SG \ should \ not \ be \ used \ as \ installation \ guidance \ for \ any \ product. \ Further \ information \ is \ required \ to \ safely \ and \ correctly \ install \ the \ products \ featured \ here. \ Specific \ installation \ guidance \ will be \ available \ with \ the \ product \ on \ delivery \ and \ on \ our \ website \ haier.com$